
VERDE Cable Product

Catalog



VERDE

Guangdong Wende Intelligent Transmission Technology Co., Ltd



VERDE

Product Catalog

Quotation is by the following:

(1) Ethernet LAN Cable Catalog

1. Cat5e	1
2. Cat6	1
3. Cat7	1
4. Cat8	1
5. Cat6 (CCA+)	1
6. Outdoor-Cat6	1
7. Cat3(Telephone wire)	1

(2) Electrical Cable Catalog

1. RVV	2
2. RVVP	3
3. AVVR	4
4. RVB	4
5. ZR-RVS	4
6. RVSP	4

(3) Fiber Optic Cable Catalog

1. Outdoor	6
2. Outdoor	6
3. GJFJV-Indoor	6
4. OM3-Indoor	7
5. GJXH-Indoor	7
6. GJYXCH-Outdoor	7

(4) Coaxial Cable Catalog

1. SYV	8
2. SYWV	8

(5) Speaker Cable Catalog

1. RVH	9
--------------	---

(6) Structured Cabling Components Catalog

1. Keystone Jack	10
2. Wall Plate	10
3. Patch Panel	10
4. Patch Cord	11
5. Cable Manager	12
6. Modular Plug	13



Ethernet LAN Cable Catalog

Guangdong Wende Intelligent Transmission Technology Co., Ltd

Item	Technical Specifications		Qty.	Unit
1. Ethernet LAN Cable-Cat5e				
1.1	Cat5e UTP	*Conductor: All Copper *Diameter: 0.48mm±0.02 *Insulation: PE *Jacket: PVC	1	305m /box
1.2	Cat5e FTP	*Conductor: All Copper *Diameter: 0.48mm±0.02 *Insulation: PE *Jacket: PVC	1	305m /box
2. Ethernet LAN Cable-Cat6				
2.1	Cat6 UTP	*Conductor: All Copper *Diameter: 0.51mm±0.02 *Insulation: PE *Jacket: PVC	1	305m /box
2.2	Cat6 FTP	*Conductor: All Copper *Diameter: 0.51mm±0.02 *Insulation: PE *Jacket: PVC	1	305m /box
2.3	Cat6 SFTP	*Conductor: All Copper *Diameter: 0.51mm±0.02 *Insulation: PE *Jacket: PVC	1	305m /box
2.4	Cat6 CCA	*Conductor: All Copper *Diameter: 0.51mm±0.02 *Insulation: PE *Jacket: PVC	1	305m /box
2.5	Cat6 Outdoor	*Conductor: All Copper *Diameter: 0.51mm±0.02 *Insulation: PE *Jacket: PVC	1	305m /box
3. Ethernet LAN Cable-Cat7				
3.1	Cat7 SFTP	*Conductor: All Copper *Diameter: 0.57mm±0.02 *Insulation: PE *Jacket: PVC	1	305m /box
4. Ethernet LAN Cable-Cat8				
4.1	Cat8 FTP	*Conductor: All Copper *Diameter: 0.64mm±0.008 *Insulation: PE *Jacket: PVC	1	305m /box
4.2	Cat8 SFTP	*Conductor: All Copper *Diameter: 0.64mm±0.008 *Insulation: PE *Jacket: PVC	1	305m /box
5. Ethernet LAN Cable-Cat6 (CCA+)				
5.1	Cat6 UTP	*Conductor: CCA(30% copper) *Diameter: 0.51mm±0.02 *Insulation: PE *Jacket: PVC	1	305m /box
6. Ethernet LAN Cable-Outdoor-Cat6				
6.1	OUT-Cat6 UTP	*Conductor: All Copper *Diameter: 0.51mm±0.02 *Insulation: PE *Jacket: PVC	1	305m /box
7. Ethernet LAN Cable-Cat3(Telephone wire)				
7.1	Cat3 UTP	*telephone wire *HYV2*1*0.5	1	305m /box



Electrical Cable Catalog

Guangdong Wende Intelligent Transmission Technology Co., Ltd

Item	Technical Specifications	Qty.	Unit
1. Electrical Cable-RVV			
1.1 RVV2*0.5mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.2 RVV2*0.75mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.3 RVV2*1.0mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.4 RVV2*1.5mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.5 RVV2*2.5mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.6 RVV2*4.0mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.7 RVV2*6.0mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.8 RVV3*0.5mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.9 RVV3*0.75mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.10 RVV3*1.0mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.11 RVV3*1.5mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.12 RVV3*2.5mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.13 RVV3*4.0mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.14 RVV3*6.0mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.15 RVV4*0.5mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.16 RVV4*0.75mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.17 RVV4*1.0mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.18 RVV4*1.5mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.19 RVV4*2.5mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.20 RVV4*4.0mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.21 RVV5*0.5mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.22 RVV5*0.75mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.23 RVV5*1.0mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.24 RVV5*1.5mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.25 RVV6*0.3mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.26 RVV6*0.5mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll



Electrical Cable Catalog

Guangdong Wende Intelligent Transmission Technology Co., Ltd

Item	Technical Specifications	Qty.	Unit
1.27 RVV6*0.75mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.28 RVV6*1.0mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.29 RVV6*1.5mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.30 RVV7*0.5mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.31 RVV8*0.3mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.32 RVV8*0.5mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.33 RVV8*0.75mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.34 RVV8*1.0mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
1.35 RVV8*1.5mm	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2. Electrical Cable-RVVP			
2.1 RVVP2*0.3 (64B)	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.2 RVVP2*0.5 (64B)	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.3 RVVP2*0.75(80B)	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.4 RVVP2*1.0 (96B)	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.5 RVVP2*1.5 (96B)	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.6 RVVP2*2.5 (96B)	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.7 RVVP3*0.5 (96B)	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.8 RVVP3*0.75(96B)	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.9 RVVP3*1.0 (96B)	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.10 RVVP3*1.5 (96B)	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.11 RVVP3*2.5 (96B)	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.12 RVVP4*0.5 (80B)	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.13 RVVP4*0.75(96B)	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.14 RVVP4*1.0 (96B)*	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.15 RVVP4*1.5(128B)*	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.16 RVVP5*0.5(96B)*	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll



Electrical Cable Catalog

Guangdong Wende Intelligent Transmission Technology Co., Ltd

Item	Technical Specifications	Qty.	Unit
2.17 RVVP5*0.75(96B)*	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.18 RVVP5*1.0(128B)*	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.19 RVVP6*0.5(80B)*	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.20 RVVP6*0.75	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.21 RVVP6*1.0(128B)*	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.22 RVVP8*0.5	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.23 RVVP8*1.0	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
2.24 RVVP8*1.5	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
3. Electrical Cable-AVVR			
3.1 AVVR2*0.3	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
3.2 AVVR3*0.3	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
3.3 AVVR5*0.3	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
4. Electrical Cable-RVB			
3.1 RVB2*0.5	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
3.2 RVB2*0.75	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
3.3 RVB2*1.0	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
3.4 RVB2*1.5	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
3.5 RVB2*2.5	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
5. Electrical Cable-ZR-RVS			
3.1 ZR-RVS2*0.75	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
3.2 ZR-RVS2*1.0	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
3.3 ZR-RVS2*1.5	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
3.4 ZR-RVS2*2.5	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
6. Electrical Cable-RVSP			
3.1 RVSP2*0.5	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
3.2 RVSP2*0.75	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll



Electrical Cable Catalog

Guangdong Wende Intelligent Transmission Technology Co., Ltd

Item	Technical Specifications	Qty.	Unit
3.3 RVSP2*1.0	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
3.4 RVSP2*1.5	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
3.5 RVSP4*0.5	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
3.6 RVSP4*0.75	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
3.7 RVSP4*1.0	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll
3.8 RVSP4*1.5	*Insulation: PVC or PE *Jacket: PVC	1	200m /roll



Fiber Optic Cable Catalog

Guangdong Wende Intelligent Transmission Technology Co., Ltd

Item	Technical Specifications	Qty.	Unit
1. Fiber Optic Cable-GYXTW-Outdoor			
1.1	4Core Single Mode *GYXTW-4B1	1	Km
1.2	6Core Single Mode *GYXTW-6B1	1	/Dru Km
1.3	8Core Single Mode *GYXTW-8B1	1	/Dru Km
1.4	12Core Single Mode *GYXTW-12B1	1	/Dru Km
1.5	4Core Multi Mode *GYXTW-4A1 *1Gbps	1	/Dru Km
1.6	6Core Multi Mode *GYXTW-6A1 *1Gbps	1	/Dru Km
1.7	8Core Multi Mode *GYXTW-8A1 *1Gbps	1	/Dru Km
1.8	12Core Multi Mode *GYXTW-12A1 *1Gbps	1	/Dru Km
2. Fiber Optic Cable-GYTA/S-Outdoor			
2.1	4Core Single Mode *GYTA/S-4B1	1	Km
2.2	6Core Single Mode *GYTA/S-6B1	1	/Dru Km
2.3	8Core Single Mode *GYTA/S-8B1	1	/Dru Km
2.4	12Core Single Mode *GYTA/S-12B1	1	/Dru Km
2.5	16Core Single Mode *GYTA/S-16B1	1	/Dru Km
2.6	24Core Single Mode *GYTA/S-24B1	1	/Dru Km
2.7	36Core Single Mode *GYTA/S-36B1	1	/Dru Km
2.8	48Core Single Mode *GYTA/S-48B1	1	/Dru Km
2.9	72Core Single Mode *GYTA/S-72B1	1	/Dru Km
2.10	96Core Single Mode *GYTA/S-96B1	1	/Dru Km
2.11	144Core Single Mode *GYTA/S-144B1	1	/Dru Km
3. Fiber Optic Cable-GJFJV-Indoor			
3.1	4Core Single Mode *GJFJV-4B1	1	Km
3.2	6Core Single Mode *GJFJV-6B1	1	/Dru Km
3.3	8Core Single Mode *GJFJV-8B1	1	/Dru Km
3.4	12Core Single Mode *GJFJV-12B1	1	/Dru Km



Fiber Optic Cable Catalog

Guangdong Wende Intelligent Transmission Technology Co., Ltd

Item	Technical Specifications	Qty.	Unit
3.5	4Core Multi Mode *GJFJV-4A1 *1Gbps	1	Km /Dru
3.6	6Core Multi Mode *GJFJV-6A1 *1Gbps	1	Km /Dru
3.7	8Core Multi Mode *GJFJV-8A1 *1Gbps	1	Km /Dru
3.8	12Core Multi Mode *GJFJV-12A1 *1Gbps	1	Km /Dru
4. Fiber Optic Cable-OM3-Indoor			
4.1	4Core Multi Mode *OM3/150 *10Gbps	1	Km /Dru
4.2	6Core Multi Mode *OM3/150 *10Gbps	1	Km /Dru
4.3	8Core Multi Mode *OM3/150 *10Gbps	1	Km /Dru
4.4	12Core Multi Mode *OM3/150 *10Gbps	1	Km /Dru
4.5	4Core Multi Mode *OM3/300 *10Gbps	1	Km /Dru
4.6	6Core Multi Mode *OM3/300 *10Gbps	1	Km /Dru
4.7	8Core Multi Mode *OM3/300 *10Gbps	1	Km /Dru
4.8	12Core Multi Mode *OM3/300 *10Gbps	1	Km /Dru
4.9	4Core Multi Mode *OM3/500 *10Gbps	1	Km /Dru
4.10	6Core Multi Mode *OM3/500 *10Gbps	1	Km /Dru
4.11	8Core Multi Mode *OM3/500 *10Gbps	1	Km /Dru
4.12	12Core Multi Mode *OM3/500 *10Gbps	1	Km /Dru
5. Fiber Optic Cable-GJXH-Indoor			
5.1	2Core Single Mode *GJXH-2B *Two Parallel Steel Wore	1	Km /Dru
5.2	4Core Single Mode *GJXH-4B *Two Parallel Steel Wore	1	Km /Dru
6. Fiber Optic Cable-GJYXCH-Outdoor			
6.1	2Core Single Mode *GJYXCH-2B *Steel wire/FRP	1	Km /Dru
6.2	4Core Single Mode *GJYXCH-4B *Steel wire/FRP	1	Km /Dru



Coaxial Cable Catalog

Guangdong Wende Intelligent Transmission Technology Co., Ltd

Item	Technical Specifications		Qty.	Unit
1. Coaxial Cable-SYV				
1.1	SYV-75-3	*64B	1	200m /roll
1.2	SYV-75-5	*96B	1	200m /roll
2. Coaxial Cable-SYWV				
1.1	SYV-75-5	*48B+48B	1	200m /roll
1.2	SYV-75-7	*128B	1	200m /roll



Speaker Cable Catalog

Guangdong Wende Intelligent Transmission Technology Co., Ltd

Item	Technical Specifications		Qty.	Unit
1. Speaker Cable-RVH				
1.1	RVH2*0.5	*Insulation: PVC	1	100m /roll
1.2	RVH2*0.75	*Insulation: PVC	1	100m /roll



Structured Cabling Components Catalog

Guangdong Wende Intelligent Transmission Technology Co., Ltd

Item	Technical Specifications		Qty.	Unit
1.Structured Cabling Components-Keystone Jack				
1.1	Cat5e UTP	*Tool *Orientation: 180°	1	Pcs /Bag
1.2	Cat5e UTP	*Toolless *Orientation: 180°	1	Pcs /Bag
1.3	Cat5e FTP	*Toolless *Orientation: 180°	1	Pcs /Bag
1.4	Cat6 UTP	*Toolless *Orientation: 180°	1	Pcs /Bag
1.5	Cat6 FTP	*Toolless *Orientation: 180°	1	Pcs /Bag
1.6	Cat6A UTP	*Toolless *Orientation: 180°	1	Pcs /Bag
1.7	Cat6A FTP	*Toolless *Orientation: 180°	1	Pcs /Bag
1.8	Cat7 UTP	*Toolless *Orientation: 180°	1	Pcs /Bag
1.9	Cat7 FTP	*Toolless *Orientation: 180°	1	Pcs /Bag
1.10	Cat7A UTP	*Toolless *Orientation: 180°	1	Pcs /Bag
1.11	Cat7A FTP	*Toolless *Orientation: 180°	1	Pcs /Bag
1.12	Cat8 UTP	*Toolless *Orientation: 180°	1	Pcs /Bag
1.13	Cat8 FTP	*Toolless *Orientation: 180°	1	Pcs /Bag
1.14	Cat3 UTP	*Toolless *Telephone Voice Module	1	Pcs /Bag
2. Structured Cabling Components-Wall Plate				
2.1	Single Port	*Color: White or Gold *Size: 86mm*86mm	1	Pcs /Bag
2.2	Dual Port	*Color: White or Gold *Size: 86mm*86mm	1	Pcs /Bag
2.3	Box	*Installation Method: Concealed Wiring *Size: 86mm*86mm	1	Pcs /Bag
3. Structured Cabling Components--Patch Panel				
3.1	Cat5e UTP	*Number of port: 24 port *Installation Method:Integrated	1	Pcs /box
3.2	Cat5e FTP	*Number of port: 24 port *Installation Method:Integrated	1	Pcs /box



Structured Cabling Components Catalog

Guangdong Wende Intelligent Transmission Technology Co., Ltd

	Item	Technical Specifications	Qty.	Unit
3.3	Cat6 UTP	*Number of port: 24 port *Installation Method:Detachable	1	Pcs /box
3.4	Cat6 UTP	*Number of port: 24 port *Installation Method:Integrated	1	Pcs /box
3.5	Cat6 FTP	*Number of port: 24 port *Installation Method:Integrated	1	Pcs /box
3.6	Cat6A FTP	*Number of port: 24 port *Installation Method:Integrated	1	Pcs /box
3.7	Cat7 FTP	*Number of port: 24 port *Installation Method:Integrated	1	Pcs /box
3.8	Cat7A FTP	*Number of port: 24 port *Installation Method:Integrated	1	Pcs /box
3.9	Cat8 FTP	*Number of port: 24 port *Installation Method:Integrated	1	Pcs /box
3.10	110 Voice	*Number of port: 100 Pairs	1	Pcs /box

4. Structured Cabling Components--Patch Cord

4.1	Cat5e UTP	*Length: 1 m *Conductor Material: Copper	1	Pcs /Bag
4.2	Cat5e UTP	*Length: 1.5 m *Conductor Material: Copper	1	Pcs /Bag
4.3	Cat5e UTP	*Length: 2 m *Conductor Material: Copper	1	Pcs /Bag
4.4	Cat5e UTP	*Length: 3 m *Conductor Material: Copper	1	Pcs /Bag
4.5	Cat5e UTP	*Length: 5 m *Conductor Material: Copper	1	Pcs /Bag
4.6	Cat5e FTP	*Length: 1 m *Conductor Material: Copper	1	Pcs /Bag
4.7	Cat5e FTP	*Length: 1.5 m *Conductor Material: Copper	1	Pcs /Bag
4.8	Cat5e FTP	*Length: 2 m *Conductor Material: Copper	1	Pcs /Bag
4.9	Cat5e FTP	*Length: 3 m *Conductor Material: Copper	1	Pcs /Bag
4.10	Cat5e FTP	*Length: 5 m *Conductor Material: Copper	1	Pcs /Bag
4.11	Cat6 UTP	*Length: 1 m *Conductor Material: Copper	1	Pcs /Bag
4.12	Cat6 UTP	*Length: 1.5 m *Conductor Material: Copper	1	Pcs /Bag
4.13	Cat6 UTP	*Length: 2 m *Conductor Material: Copper	1	Pcs /Bag



Structured Cabling Components Catalog

Guangdong Wende Intelligent Transmission Technology Co., Ltd

	Item	Technical Specifications	Qty.	Unit
4.14	Cat6 UTP	*Length: 3 m *Conductor Material: Copper	1	Pcs /Bag
4.15	Cat6 UTP	*Length: 5 m *Conductor Material: Copper	1	Pcs /Bag
4.16	Cat6 FTP	*Length: 1 m *Conductor Material: Copper	1	Pcs /Bag
4.17	Cat6 FTP	*Length: 1.5 m *Conductor Material: Copper	1	Pcs /Bag
4.18	Cat6 FTP	*Length: 2 m *Conductor Material: Copper	1	Pcs /Bag
4.19	Cat6 FTP	*Length: 3 m *Conductor Material: Copper	1	Pcs /Bag
4.20	Cat6 FTP	*Length: 5 m *Conductor Material: Copper	1	Pcs /Bag
4.21	Cat6A FTP	*Length: 1 m *Conductor Material: Copper	1	Pcs /Bag
4.22	Cat6A FTP	*Length: 1.5 m *Conductor Material: Copper	1	Pcs /Bag
4.23	Cat6A FTP	*Length: 2 m *Conductor Material: Copper	1	Pcs /Bag
4.24	Cat7 FTP	*Length: 1 m *Conductor Material: Copper	1	Pcs /Bag
4.25	Cat7 FTP	*Length: 1.5 m *Conductor Material: Copper	1	Pcs /Bag
4.26	Cat7 FTP	*Length: 2 m *Conductor Material: Copper	1	Pcs /Bag
4.27	Cat7A FTP	*Length: 1 m *Conductor Material: Copper	1	Pcs /Bag
4.28	Cat7A FTP	*Length: 1.5 m *Conductor Material: Copper	1	Pcs /Bag
4.29	Cat7A FTP	*Length: 2 m *Conductor Material: Copper	1	Pcs /Bag
4.30	Cat8 FTP	*Length: 1 m *Conductor Material: Copper	1	Pcs /Bag
4.31	Cat8 FTP	*Length: 1.5 m *Conductor Material: Copper	1	Pcs /Bag
4.32	Cat8 FTP	*Length: 2 m *Conductor Material: Copper	1	Pcs /Bag
5. Structured Cabling Components--Cable Manager				
5.1	12 port	*Height: 1 U	1	Pcs /box
5.2	24 port	*Height: 1 U	1	Pcs /box
6. Structured Cabling Components--Modular Plug				



Structured Cabling Components Catalog

Guangdong Wende Intelligent Transmission Technology Co., Ltd

	Item	Technical Specifications	Qty.	Unit
6.1	Cat5e UTP	*RJ 45	1	Pcs /Baq
6.2	Cat5e FTP	*RJ 45	1	Pcs /Baq
6.3	Cat6 UTP	*RJ 45	1	Pcs /Baq
6.4	Cat6 FTP	*RJ 45	1	Pcs /Baq
6.5	Cat6A UTP	*RJ 45	1	Pcs /Baq
6.6	Cat6A UTP	*RJ 45	1	Pcs /Baq
6.7	Cat7 UTP	*RJ 45	1	Pcs /Baq
6.8	Cat7 UTP	*RJ 45	1	Pcs /Baq
6.9	Cat7A UTP	*RJ 45	1	Pcs /Baq
6.10	Cat7A UTP	*RJ 45	1	Pcs /Baq
6.11	Cat8 UTP	*RJ 45	1	Pcs /Baq
6.12	Cat8 UTP	*RJ 45	1	Pcs /Baq
6.13	Cat3 UTP	*RJ 11	1	Pcs /Baq